



# **WESTERN RUBBER AND MANUFACTURING SINCE 1977**

Prices  
Effective  
May 15, 2008

## **K – Packers**

\* Tri-Seals

\* Well Packers - WC & WCJ

\* BP Seal Assembly

\* BP Well Seal

\* BP Tapered Nipple, Centralizing Coupling, Lug Coupling

7015 Old Hwy 105 W.  
Conroe, TX 77304  
Office (936) 588-3033 Fax (936) 588-3132  
Toll Free (800) 367-5285

***"SERVING THE WATER, MONITORING & ENERGY INDUSTRIES"***

# "K" PACKERS (TRI-SEALS)



BLANK

\*(FOR PVC PIPE—  
Not Included)



COUPLING



WELD-ON

- Available in the three (3) types, COUPLING (Right by Right/Right by Left) BLANK (for gluing to PVC pipe) WELD ON
- Designed to seal in Schedule 40 pipe unless stated otherwise.
- Can be Furnished in STAINLESS STEEL
- Provides a "sand tight" seal between screen and casing
- Used for many applications in WATER WELL, CONSTRUCTION, AND ENVIRONMENTAL industry.
- Constructed from neoprene rubber being vulcanized and bonded under heat and pressure to coupling or pipe
- Available in two (2) rubber hardnesses  
70 durometer—STANDARD  
50 durometer—SOFT
- CUSTOM K-PACKERS AVAILABLE to 24", please call with your requirements.

PIPE SIZE	CASING SIZE	NOTES	RIGHT BY RIGHT		RIGHT BY LEFT		BLANK		WELD ON	
			PART NUMBER	PRICE / WT.	PART NUMBER	PRICE / WT.	PART NUMBER	PRICE / WT.	PART NUMBER	PRICE / WT.
1 1/4"	2"		KPRR1142	9.69 / 1.31	KPRL1142	54.56 / 1.31	KPB1142	9.73 / .05		
	3"		KPRR1143	15.77 / 1.56	KPRL1143	61.66 / 1.56	KPB1143	10.88 / .21		
	4"		KPRR1144	17.43 / 1.00	KPRL1144	70.07 / 1.00	KPB1144	14.28 / .47		
2"	3"		KPRR23	14.76 / 1.75	KPRL23	59.90 / 1.75	KPB23	11.78 / .13	KPWO23	ASK
	4"		KPRR24	16.77 / 1.00	KPRL24	68.07 / 1.00	KPB24	13.39 / .34	KPWO24	ASK
	4 1/2"	SDR-17	KPRR2412	18.27 / 1.25	KPRL2412	69.57 / 1.25	KPB2412	14.26 / .37	KPWO2412	ASK
	5"		KPRR25	19.06 / 1.25	KPRL25	72.41 / 1.25	KPB25	16.21 / .87	KPWO25	ASK
2 1/2"	4"		KPRR2124	28.75 / 2.25	KPRL2124	61.63 / 2.25	KPB2124	17.86 / .37	KPWO2124	ASK
	4"	SDR-17	KPRR212414	36.67 / 2.37	KPRL212414	70.04 / 2.37	KPB212414	20.30 / .37	KPWO212414	ASK
	5"		KPRR2125	37.13 / 2.22	KPRL2125	74.51 / 2.22	KPB2125	21.59 / .37	KPWO2125	ASK
	5"	SDR-17	KPRR2125-SDR17	37.13 / 3.00	KPRL2125-SDR17	74.51 / 3.00	KPB2125-SDR17	21.59 / 1.00	KPWO3382	ASK
3"	4"		KPRR34	29.93 / 1.50	KPRL34	44.90 / 1.50	KPB34	19.50 / .28	KPWO34	ASK
	4"	SDR-26	KPRR3418	31.51 / 1.50	KPRL3418	47.26 / 1.50	KPB3418	19.50 / .28	KPWO3418	ASK
	4"	.337W					KPB3382	19.50 / .28	KPWO3382	ASK
	4 1/2"	SDR-17	KPRR3412-SDR17	31.51 / 1.50	KPRL3412-SDR17	47.26 / 1.50	KPB3412-SDR17	19.50 / .36	KPWO3412-SDR17	ASK
	4 1/2"	SDR-26	KPRR3412-50/50	31.51 / 1.50	KPRL3412-50/50	47.26 / 1.50	KPB3412-50/50	21.20 / .36	KPWO3412-50/50	ASK
		4 3/4" OD	KPRR3434	33.17 / 2.50	KPRL3434	49.75 / 2.50	KPB3434	21.20 / .36	KPWO3434	ASK
	5"		KPRR35	34.92 / 2.50	KPRL35	52.37 / 2.50	KPB35	21.20 / .62	KPWO35	ASK
	5"	SDR-17	KPRR35-OS	34.92 / 2.50	KPRL35-OS	52.37 / 2.50	KPB35-OS	21.20 / .62	KPWO35-OS	ASK
	6"		KPRR36	37.97 / 3.75	KPRL36	56.92 / 3.75	KPB36	22.62 / 1.50	KPWO36	ASK
	6"	SDR-17	KPRR36-SDR17	41.27 / 3.75	KPRL36-SDR17	61.90 / 3.75	KPB36-SDR17	24.59 / 1.50	KPWO36-SDR17	ASK
4"	5"		KPRR45	42.87 / 2.50	KPRL45	60.73 / 2.50	KPB45	26.86 / .20	KPWO45	56.11 / 7.25
	5"	SDR-26	KPRR4518	42.87 / 2.62	KPRL4518	60.73 / 2.62	KPB4518	26.86 / .20	KPWO4518	56.11 / 7.25
		5 5/8" OD	KPRR4558	46.60 / 3.00	KPRL4558	66.01 / 3.00	KPB4558	29.20 / .40	KPWO4558	58.46 / 7.25
	6"		KPRR46	46.60 / 3.00	KPRL46	61.01 / 3.00	KPB46	29.20 / .75	KPWO46	59.06 / 8.05
	6"	.188W	KPRR4614	46.60 / 3.25	KPRL4614	61.01 / 3.25	KPB4614	29.20 / .37	KPWO4614	59.06 / 8.25
		8"		KPRR48	114.07 / 6.50	KPRL48	143.99 / 6.50	KPB48	55.51 / 2.25	KPWO48
4 1/2"							KPB50D6	27.50 / .75		
		.188W					KPB50D614	27.50 / .75		
5"	6"		KPRR56	54.13 / 3.00	KPRL56	84.62 / 3.00	KPB56	27.50 / .22	KPWO56	56.64 / 8.75
	6"		DOUBLE (6 FINS Soft)	INLINE					KPWO56-6F	67.06 / 8.75
	6"	12" Long							KPWO56-12	68.65 / 12.75
	6"	24" Long							KPWO56-24	96.59 / 28.35
	6"	24" Long	DOUBLE (6 FINS Soft)	INLINE					KPWO56-246F	107.01 / 28.25
	6"	.250 W	KPRR5618	54.13 / 3.10	KPRL5618	84.62 / 3.10	KPB5618	27.50 / .25	KPWO5618	56.64 / 8.75
	6"	.188 W	KPRR5614	58.84 / 3.10	KPRL5614	91.98 / 3.10	KPB5614	34.94 / .25	KPWO5614	59.03 / 8.75
		6 5/8" OD	KPRR5658	65.38 / 3.50	KPRL5658	102.20 / 3.50	KPB5658	34.94 / .38	KPWO5658	64.08 / ASK
	8"		KPRR58	129.67 / 7.25	KPRL58	166.49 / 7.25	KPB58	48.85 / 1.66	KPWO58	107.32 / 1.75

Available for ALL APPLICATION\* including SPECIALS and STAINLESS STEEL. All weld on K-Packers have a minimum length of 8" unless otherwise stated. Rubber in the MIDDLE is available by request – our standard is rubber on the end.

# "K" PACKERS (TRI-SEALS) Cont'd.



PIPE SIZE	CASING SIZE	NOTES	RIGHT BY RIGHT		RIGHT BY LEFT		BLANK		WELD ON	
			PART NUMBER	PRICE / WT.	PART NUMBER	PRICE / WT.	PART NUMBER	PRICE / WT.	PART NUMBER	PRICE / WT.
<b>6JWS</b>	8"	Johnson	KPJWS68	145.16						
	8"	.250	KPJWS6814	145.16						
<b>6"</b>	8"		KPRR68	128.50 / 11.25	KPRL68	305.86 / 11.25	KPB68	64.91 / 1.00	KPWO68	111.21 / 13.75
	8"		KPRR6814	139.67 / 11.25	KPRL6814	332.47 / 11.25	KPB6814	70.55 / 1.66	KPWO6814	171.09 / 14.00
	9"	Special	KPRR69	211.47 / 11.75	KPRL69	395.47 / 11.75	KPB69	91.59 / 1.75	KPWO69	171.09 ASK
	10"		KPRR610	217.85 / 13.00	KPRL610	429.86 / 13.00	KPB610	100.13 / 2.50	KPWO610	181.15 / 14.00
<b>6.9"</b>	8"	Certain T					KPB6.98	100.90		
	8"	.250W					KPB6.914	100.90		
	9"	Special					KPB6.99	100.90		
	10"						KPB6.910	100.90		
<b>7 1/2"</b>	8"		5 1/2" LONG						KPWO7128-S	102.73 / 8.75
	8"						KPB7128	87.23	KPWO7128	137.45 / 13.00
	8"	.250 W	5 1/2" LONG						KPWO712814-S	144.42 / 8.75
	8"	.250W					KPB712814	94.81	KPWO712814	179.94 / 13.00
<b>8"</b>	10"	.375W	KPRR810	339.59 / 23.75	KPRL810	441.19 / 23.75	KPB810-.25-50D	198.12	KPWO810	347.14 / 24.00
	10"	.250W					KPB810-.25	198.12	KPWO810-.25	347.14 / 25.00
	12"	.375W	KPRR812	463.59 / 23.75	KPRL812	565.19 / 23.75	KPB812-.25-50D	254.49	KPWO812	422.63 / 26.00
	12"	.250W					KPB812-.25	254.49	KPWO812-.25	422.63 / 28.00
	14"	.375W	KPWO-16" LONG				KPB814-.25-50D	275.36	KPWO814	812.61
	14"	.250W					KPB814-.25	275.36	KPWO814-.25	812.61
	16"	.375W	KPWO-16" LONG				KPB816-.25-50D	286.06	KPWO816	934.35
	16"	.250W	KPWO-16" LONG				KPB816-.25	286.06	KPWO816-.25	934.35
<b>9 1/2"</b>	10"	.375W	KPWO-5 1/2" LONG				KPB91210	138.68	KPWO91210-S	176.32 / 14.00
									KPWO91210	228.34 / 19.00
<b>10"</b>	12"		KPRR1012	435.71	KPRL1012	525.41 / 22.50	KPB1012	254.49 / 2.00	KPWO1012	402.05 / 34.10
	12"	.250W					KPB1012-.25	254.49 / 2.00	KPWO1012-.25	402.05 / 34.00
	14"	.375W							KPWO1014	709.13
	14"	.250W					KPB1014-.25	254.49	KPWO1014-.25	709.13
	16"	.375W	KPWO-16" LONG						KPWO1016	1002.40
	16"	.250W	KPWO-16" LONG				KPB1016-.25	275.36	KPWO1016-.25	1002.40
<b>11 1/4"</b>	12"		KPWO-5 1/2" LONG				KPB111412	144.71	KPWO111412-S	360.53 / 21.50
	12"								KPWO111412	414.37 / 26.00
<b>12"</b>	14"	.375W					KPB1214-.25-50D	282.00 / 2.75	KPWO1214	709.13 / 32.50
	14"	.250W					KPB1214-.25	282.00 / 2.75	KPWO1214-.25	709.13 / 33.50
	16"	.375W	KPWO-16" LONG				KPB1216-.25-50D	302.64 / 3.25	KPWO1216	843.31 / 41.50
	16"	.250W	KPWO-16" LONG				KPB1216-.25	302.64 / 3.25	KPWO1216-.25	843.31 / 41.50
<b>14"</b>	16"	.375W					KPB1416	289.63	KPWO1416	852.17 / 44.00
	16"	.250W					KPB1416-.25	289.63 / 2.75	KPWO1416-.25	852.17 / 44.25


NOTE: LARGER SIZES AVAILABLE, CONSULT FACTORY, ALL WELD ON K-PACKERS CAN BE SUPPLIED ON 304 OR 316 STAINLESS STEEL PIPE (ADDITIONAL CHARGE WILL BE APPLIED).

Available for ALL APPLICATION\* including SPECIALS and STAINLESS STEEL. All weld on K-Packers have a minimum length of 8" unless otherwise stated. Rubber in the MIDDLE is available by request – our standard is rubber on the end.

# WELL PACKERS



WCJ



WC

- Seals in hard rock when using 6" to 6-1/4" hammer
- Used has liner seal in 6" to 6-1/4" ID casing
- Stays where you set it, will not drift up or down in well
- Available in PVC or Steel Pipe
- Can be threaded, NPT pin one or both ends
- 21" long standard length


## WC

PART NO.	DESCRIPTION	WT/LB	PRICE
WC-4.0x6.2P	4" x 6 1/4" PVC BLUE PACKER	4.50	78.64
WC-4.0x6.2P-30	4" x 6 1/4" PVC BLACK PACKER, 30 Duro (very soft)	4.50	78.64
WC-4.0x6.2P-50	4" x 6 1/4" PVC BLACK PACKER, 50 Duro (soft)	4.50	78.64
WC-4.0x6.2S	4" x 6 1/4" SCH. 40 STEEL WELD ON BLUE PACKER	16.00	90.55
WC-4.0X6.2S-T	4" x 6 1/4" THREADED ONE END, BLUE PACKER, 4 1/8 ID	16.00	102.60
WC-4.1x6.2S	4 3/16" ID x 6 1/4" STEEL WELD ON BLUE PACKER	15.00	110.91
WC-4.5x6.2P	4 1/2" ID (5" OD) x 6 1/4" PVC BLUE PACKER	5.50	83.66
WC-5.0x6.2P	5" x 6 1/4" PVC BLUE PACKER	5.50	83.66
WC-5.0x6.2S	5" x 6 1/4" SCH. 40 STEEL WELD ON BLUE PACKER	13.50	104.52
WC-5.1x6.2S	5 3/16" ID x 6 1/4" STEEL WELD ON BLUE PACKER	13.50	109.79
WC-6.0X10P	6" x 10" ON PVC PIPE		106.73
WC-6.0X10S	6" x 10" ON STEEL PIPE		193.88
WC-6.9X10P	6 1/4" x 10" ON PVC PIPE (6 1/4" ID)		106.73
WC-7.5X10-PC	7 1/2" OD HALF COUPLING x 10" FOR 6 1/4" WELL CASING		94.42

## WCJ

PART NO.	DESCRIPTION	WT/LB	PRICE
WCJ-4.0X6.2P	4" ID X 6 1/4", **PVC** PIPE, BLANK BOTH ENDS	16.00	84.33
WCJ-4.0X6.2S-NT	4" ID X 6 1/4" STEEL – NO THREADS	22.00	102.60
WCJ-4.1X6.2-T	4 1/8" ID X 6 1/4", STEEL, THREADED ONE END, WELL PACKER	15.00	102.60
WCJ-4.1X6.2-2T	4 1/8" ID X 6 1/4", STEEL, THREADED BOTH ENDS, WELL PACKER	15.00	125.80
WCJ-6.0X8.0P	6" X 8", **PVC** PIPE, BLANK ON BOTH ENDS		101.22
WCJ-6.0X8.0-T	6" X 8", STEEL, THREADED ONE END, WELL PACKER		182.17
WCJ-6.0X8.0-2T	6" X 8", STEEL, THREADED BOTH ENDS, WELL PACKER		250.20

# BP SEAL ASSEMBLY BP SEAL TYPE



## This assembly features:


- Full control of the well screen while going into the well casing
- Allows for washout and cleaning of the production zone after the screen is set.
- Allows the well screen to be drilled down some if necessary.
- Screen is sealed into well casing after screen and production zone are cleaned.
- This system will help develop cleaner, trouble-free water well.

## Features of items in assembly:

- B.P. SEAL is threaded onto top of well screen and sealed after cleaning. An additional sealing trip is required.
- WASHPLUG is used to center and seal the customer provided washtube. This provides better flow and pressure to clean the formation.
- BACK PRESSURE VALVE is used to seal the bottom of well screen after washing is completed.
- SAW TOOTH NIPPLE is used to protect the valve and allows the screen to be drilled down if necessary, also provides resistance while un-threading from this assembly.


SCREEN	CASING	BP SEAL	PRICE	WASHPLUG	PRICE	VALVE	PRICE	SAW-TOOTH NIPPLE	PRICE
2						BP-VALVE-02.0	65.39	BP-S.T.NIP-02.0	33.52
2 ½	4	BP-RR2124	86.09	BP-WP212114	42.49	BP-VALVE-02.5	92.78	BP-S.T.NIP-02.5	37.08
		BP-RL2124	109.56			BP-VALVE-02.5x1	118.03		
		BP-RL212412	126.82						
		BP-RR212412	103.35						
3	5	BP-RR35	109.56	BP-WP3114	ASK	BP-VALVE-03.0	104.52	BP-S.T.NIP-03.0	42.14
		BP-RL35	132.00			BP-VALVE-03.0x2	144.74		
4	6	BP-RR46	225.00	BP-WP42	79.74	BP-VALVE-04.0	108.43	BP-S.T.NIP-04.0	46.97
		BP-RL46	274.50			BP-VALVE-04x2	152.36		
5	6	BP-WP56	165.58						
6	8	BP-RR68	530.87	BP-WP62	106.79	BP-VALVE-06.0*	205.54	BP-S.T. NIP-06.0	134.74
		BP-RL68	677.30						
8	10	BP-RR810	584.35	BP-WP82	142.38	BP-VALVE-08.0*	288.31	BP-S.T.NIP-08.0	215.73
		BP-RL810	718.72						
10	12	BP-RR1012	726.15	BP-WP102	CONSULT	BP-VALVE-10.0*	CONSULT	BP-S.T.NIP-10.0	215.73
12		BP-RL1012	871.20	BP-WP122	CONSULT	BP-VALVE-12.0*	CONSULT		

\*AVAILABLE IN BRONZE OR IRON CONSTRUCTION. STAINLESS STEEL AVAILABLE



5A



# BP WELL SEAL



- Available for 4", 5", 6", 8", 10", 12", and 14" well casing
- Two (2) side opening for wires or additional pipe.
- O-Ring sealed in the ID of WELL SEAL and drop pipe.
- 4", 5" and 6" are constructed from lightweight high strength aluminum alloy.
- 8", 10", 12" and 14" are a two-piece, alloy steel construction design.
- Available with a large section of drop pipe sizes.
- Easy on – off design.
- Uses weight of drop pipe to seal on well casing.

CASING SIZE	DROP PIPE SIZE					
	1"	1 ¼"	1 ½"	2"	2 ½"	3"
4"	BP-WS-04.00-1.00	BP-WS-04.00-1.25	BP-WS-04.00-1.50	BP-WS-04.00-2.00	BP-WS-04.00-2.50	BP-WS-04.00-3.00
<b>PRICE FOR ALL 4" WELL SEALS - 91.55</b>						
4 ½" (5OD)	BP-WS-04.50-1.00	BP-WS-04.50-1.25	BP-WS-04.50-1.50	BP-WS-04.50-2.00	BP-WS-04.50-2.50	BP-WS-04.50-3.00
<b>PRICE FOR ALL 5" OD (4 ½" ID) WELL SEALS - 108.43</b>						
5"	BP-WS-05.00-1.00	BP-WS-05.00-1.25	BP-WP-05.00-1.50	BP-WS-05.00-2.00	BP-WS-05.00-2.50	BP-WS-5.00-3.00
<b>PRICE FOR ALL 5" WELL SEALS – 108.43</b>						
6"	BP-WS-06.00-1.00	BP-WS-06.00-1.25	BP-WS-06.00-1.50	BP-WS-06.00-2.00	BP-WS-06.00-2.50	BP-WS-06.00-3.00
<b>PRICE FOR 6" WELL SEALS – ALUMIMUM – 155.54 EA / STEEL – 633.86</b>						
8"	BP-WS-08.00-1.00	BP-WS-08.00-1.25	BP-WS-08.00-1.50	BP-WS-08.00-2.00	BP-WS-08.00-2.50	BP-WS-08.00-3.00
<b>PRICE FOR ALL 8" WELL SEALS – 801.35</b>						
10"	BP-WS-10.00-1.00	BP-WS-10.00-1.25	BP-WS-10.00-1.50	BP-WS-10.00-2.00	BP-WS-10.00-2.50	BP-WS-10.00-3.00
<b>PRICE FOR ALL 10" WELL SEALS – 857.55</b>						
12"	BP-WS-12.00-1.00	BP-WS-12.00-1.25	BP-WS-12.00-1.50	BP-WS-12.00-2.00	BP-WS-12.00-2.50	BP-WS-12.00-3.00
<b>PRICE FOR ALL 12" WELL SEALS – 987.83</b>						
14"	BP-WS-14.00-1.00	BP-WS-14.00-1.25	BP-WS-14.00-1.50	BP-WS-14.00-2.00	BP-WS-14.00-2.50	BP-WS-14.00-3.00
<b>PRICE FOR ALL 14" WELL SEALS – CONSULT</b>						

OTHER SIZES OF DROP PIPE AVAILABLE – CONSULT FACTORY





# **COMING SOON:**

- **Tapered Nipple Assembly**
- **Centralizing Coupling**
- **Lug Coupling**